

**Certification  
Issued Under the Authority of the  
Federal Communications Commission  
By:**

**KL-Certification GmbH  
Heinrich-Hertz-Allee 7  
St. Ingbert, 66386  
Germany**

**Date of Grant: 10/24/2022**

**Application Dated: 10/24/2022**

**RFbeam Microwave GmbH  
Schuppisstrasse 7  
St. Gallen, 9016  
Switzerland**

**Attention: Leon Audergon**

**NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

**FCC IDENTIFIER:** 2ASYV-K-MC1  
**Name of Grantee:** RFbeam Microwave GmbH  
**Equipment Class:** Part 15 Field Disturbance Sensor  
**Notes:** K-MC1  
**Modular Type:** Single Modular

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	15.245	24050.0 - 24250.0			

Single Modular Approval. This device is to be used only for mobile and fixed applications. The module antenna(s) must be installed to meet the RF exposure compliance separation distance of 20 cm and any additional testing and authorization process as required. Co-location of this module with other transmitters that operate simultaneously are required to be evaluated using the FCC multi-transmitter procedures. OEM integrators and end-Users must be provided with transmitter operating conditions for satisfying RF exposure compliance.

